

# **ITC Power**

empower your business



## **Diesel Inverter Generators**

Silent, Electric Start

# **DGP9100SEi/SEi-T** **DGP11000SEi/SEi-T**





GENERATOR	DGP9100SEi	DGP9100SEi-T
Frequency (Hz)	50	50
Rated Power	6kW	6kW/7.5kVA
Max. Power	6.5kW	6.5kW/8.1kVA
Voltage (V)	230	230/400
Current (A)	26	10.8-26
Plugs	2*32A & 1*16A	PCE5p 16A(400V)&32A(230V)&16A(400V)
Display	LED6	LED6
Fuel tank capacity (L)	15	15
Running time @75% load (H)	10	10
Sound level @ 7m (dBA)	72	72
Battery (V/Ah)	12V 4Ah/30Ah	12V 4Ah/30Ah
ENGINE	D500Ei	D500Ei
Engine type	Diesel	Diesel
Power (hp)	12	12
Start	Electric / ATS	Electric / ATS
Displacement (CC)	498	498
Oil Capacity (L)	1.65	1.65
ALTERNATOR	AL7	AL7-T
Power (Kw)	7	7
Power Factor	1	1
Voltage Regulation	Electric	Electric
DIMENSIONS & WEIGHT		
Net Weight (Kg)	144	144
Gross Weight (Kg)	152	152
Machine size (mm)	800*525*740	800*525*740
Dimensions Package (mm)	840*560*850	840*560*850
FCL 20'/40'HQ	76/168	76/168

Specifications are subject to continuous product development



GENERATOR	DGP11000SEi	DGP11000SEi-T
Frequency (Hz)	50	50
Rated Power	8kW	8kW/10kVA
Max. Power	8.5kW	8.5kW/10.6kVA
Voltage (V)	230	230/400
Current (A)	34.8	34.8/14.4
Plugs	32A&16A	32A&16A
Display	DC30	DC30
Fuel tank capacity (L)	25	25
Running time @75% load (H)	15	15
Sound level @ 7m (dBA)	72	72
Battery (V/Ah)	12V 6Ah/36Ah	12V 6Ah/36Ah
ENGINE	D680E	D680E
Engine type	Diesel	Diesel
Power (hp)	14.4	14.4
Start	Electric	Electric
Displacement (CC)	678	678
Oil Capacity (L)	2	2
ALTERNATOR	AL9	AL9-T
Power (Kw)	9	9
Power Factor	1	0.8
Voltage Regulation	PMG	PMG
DIMENSIONS & WEIGHT		
Net Weight (Kg)	180	180
Gross Weight (Kg)	195	195
Machine size (mm)	930*575*700	930*575*700
Dimensions Package (mm)	970*610*880	970*610*880
FCL 20'/40'HQ	60/122	60/122

Specifications are subject to continuous product development

# Options



30Ah  
Battery



36Ah  
Battery



4Ah  
Lithium Battery



Temperature  
Sensor to stop




LED6  
Voltage AC  
Power output  
Frequency / Current  
Battery voltage  
Working time



ATS/AUTO  
module



NSK  
bearing



EURO5  
catalyst



Preheater



Standard packing

# Accessories

ATS BOX



15M  
cable



Remote controller

300m

