

iTcPower

Portable Gasoline Generators

Large Tank , Electric Start

GG10000LE / GG10000LE-3 GG10000LE-T





GENERATOR	GG1000LE	GG1000LE-3	GG1000LE-T
Frequency (HZ)	50	50	50
Rated Power (KW)	7.5	9.4	7 / 9.4
Max. Power (KW)	8	10	7.5 / 10
Voltage (V)	230	230 / 400	230 / 400
Current (A)	34.8	14.4	32.6 / 14.4
Plugs (A)	16A & 32A	16A & 16A	16A & 32A
Display	LED6	LED6	LED6
Fuel tank capacity (L)	25	25	25
Running time @75% load (H)	7	7	7
Sound level @ 7m (dBA)	79	79	79
Battery (V/Ah)	12 / 14	12 / 14	12 / 14
ENGINE	IC460	IC460	IC460
Engine type	Gasoline	Gasoline	Gasoline
Power (HP)	14.2	14.2	14.2
Start	Electric	Electric	Electric
Displacement (CC)	460	460	460
Oil Capacity (L)	1.1	1.1	1.1
ALTERNATOR	AL7.5	AL7.5-3	AL7.5-T
Power (KW)	7.5	7.5	7.5
Power Factor	1	0.8	1 / 0.8
Voltage Regulation	AVR	AVR	AVR
DIMENSIONS & WEIGHT			
Net Weight (KG)	104	104	106
Gross Weight (KG)	109	109	111
Machine size (MM)	700 × 540 × 555	700 × 540 × 555	700 × 540 × 555
Dimensions Package (MM)	720x560x580	720x560x580	720 × 560 × 580
Loading Capacity FCL20'/40'HQ	96/268	96/268	96/268

GG — Gasoline Generator

L — Large Tank

LE — Large Tank, Electric Start, 1 Phase

LE-T — Large Tank, Electric Start, Full Power 1 Phase & 3 Phases

Options

Canopy



30Ah
battery



36Ah
battery



4Ah Lithium
battery

Control panel



LED5
Voltage AC
Power output
Frequency
Current
Working time



LED6
Voltage AC
Power output
Frequency
Battery voltage
Current
Working time



D30 (ATS)
Smart controller



ATS/AUTO
module

Engine



NSK
bearing



Euro5
catalyst

Alternator



THD ≤ 5%

Package



Standard packing

Accessories

ATS box



Remote Controller 300M



Push Wheel Kit

T10 10 inch wheels



S10 10 inch wheels

