


***ITC*Power**

Portable Gasoline Generators

Large Tank , Electric Start

GG7000L / GG7000LE GG7000LE-3



iTC Power

www.itcpowergenerator.com



GENERATOR	GG7000L	GG7000LE	GG7000LE-3
Frequency (HZ)	50	50	50
Rated Power (KW)	5	5	6.2
Max. Power (KW)	5.5	5.5	6.9
Voltage (V)	230	230	230 / 400
Current (A)	23.9	23.9	9.9
Plugs (A)	16A & 32A	16A & 32A	16A & 16A
Display	LED6	LED6	LED6
Fuel tank capacity (L)	25	25	25
Running time @75% load (H)	13	13	13
Sound level @ 7m (dBA)	76	76	76
Battery (V/Ah)	-	12 / 14	12 / 14
ENGINE	IC425	IC425E	IC425E
Engine type	Gasoline	Gasoline	Gasoline
Power (HP)	11	11	11
Start	Manual	Manual/Electric	Manual/Electric
Displacement (CC)	420	420	420
Oil Capacity (L)	1.1	1.1	1.1
ALTERNATOR	AL5	AL5	AL5
Power (KW)	5	5	5
Power Factor	1	1	0.8
Voltage Regulation	AVR	AVR	AVR
DIMENSIONS & WEIGHT			
Net Weight (KG)	82	87	87
Gross Weight (KG)	85	90	90
Machine size (MM)	670 × 540 × 555	670 × 540 × 555	670 × 540 × 555
Dimensions Package (MM)	690 × 560 × 580	690 × 560 × 580	690 × 560 × 580
Loading Capacity FCL20'/40'HQ	96/272	96/272	96/272

GG — Gasoline Generator

L — Large Tank

LE — Large Tank, Electric Start, 1 Phase

LE-3 — Large Tank, Electric Start, Full Power 3 Phases

Specifications are subject to continuous product development

Options

Canopy



30Ah
battery



36Ah
battery



4Ah Lithium
battery

Control panel



LED5
Voltage AC
Power output
Frequency
Current
Working time



LED6
Voltage AC
Power output
Frequency
Battery voltage
Current
Working time



D30 (ATS)
Smart controller



ATS/AUTO
module

Engine



NSK
bearing



Euro5
catalyst

Alternator



THD ≤ 5%

Package



Standard packing

Accessories

ATS box



Remote Controller 300M



Push Wheel Kit

T10 10 inch wheels



S10 10 inch wheels

